ELSEVIER

Brain Research 810 (1998) 295–296

BRAIN RESEARCH

Author Index

Albuquerque, E.X., see Alkondon, M. (810) 257
Alkondon, M., Pereira, E.F.R. and Albuquerque, E.X.
α-Bungarotoxin- and methyllycaconitine-sensitive nicotinic receptors mediate fast synaptic transmission in interneurons of rat hippocampal slices (810) 257
Ally, A.
Cardiovascular effects of intravenous administration of clonidine in conscious cats (810) 153
Amir, S., see Edelstein, K. (810) 264
Antoni, F.A., see Cagampang, F.R.A. (810) 279
Arimura, A., see Kozicz, T. (810) 211

Babb, T., see Najm, I.M. (810) 72
Baudry, M., see Najm, I.M. (810) 72
Beavers, L., see Statnick, M.A. (810) 16
Bendel, P., see Peled-Kamar, M. (810) 138
Bergström, L., see Lindblom, J. (810) 161
Bingaman, M.T., see Blinder, K.J.L. (810) 251
Blinder, K.J.L., Dickerson, L.W., Gray, A.L., Lauenstein, J.-M., Newsome, J.T., Bingaman, M.T., Gatti, P.J., Gillis, R.A. and Massari, V.J.
Control of negative inotropic vagal preganglionic neurons in the dog: synaptic interactions with substance P afferent terminals in the nucleus ambiguus? (810) 251
Blunt, S.B., see Opacka-Juffry, J. (810) 27
Bobik, M., see Kalichman, M.W. (810) 130
Britto, L.R.G., see Pires, R.S. (810) 283
Burnett, J.P., see Statnick, M.A. (810) 16
Burnham, W.M.I., see Mingo, N.S. (810) 9

Cagampang, F.R.A., Antoni, F.A., Smith, S.M., Piggins, H.D. and Coen, C.W.
Circadian changes of type II adenylyl cyclase mRNA in the rat suprachiasmatic nuclei (810) 279
Ckakraverty, D., see Najm, I.M. (810) 72
Claude Willer, P.B.J., see Maisonobe, T. (810) 220
Coen, C.W., see Cagampang, F.R.A. (810) 279
Cole, A.J., see Hu, R.Q. (810) 229
Cottrell, G.A., see Mingo, N.S. (810) 9
Craddock, S.D., see Minger, S.L. (810) 181

Day, A.L., see Shi, J. (810) 87
Deak, T., see Milligan, E.D. (810) 48
Degani, H., see Peled-Kamar, M. (810) 138
Dickerson, L.W., see Blinder, K.J.L. (810) 251
Diksic, M., see Mück-Šeler, D. (810) 76
Dines, K.C., see Kalichman, M.W. (810) 130
Doubles, L., see White, I.M. (810) 146
Dougherty, K.D., Turchin, P.I. and Walsh, T.J.
Septocingulate and septohippocampal cholinergic pathways: involvement in working/episodic memory (810) 59

Edelstein, K. and Amir, S.
Glutamatergic antagonists do not attenuate light-induced Fos protein in rat intergeniculate leaflet (810) 264
Eubanks, J.H., see Mingo, N.S. (810) 9

Ferriero, D.M., see Sheldon, R.A. (810) 114
Ferro, E.S., see Pires, R.S. (810) 283
Fleshner, M., see Milligan, E.D. (810) 48
Fournier, E., see Maisonobe, T. (810) 220
Frye, G.D., see Hsiao, S.-H. (810) 100

Gackenheimer, S., see Statnick, M.A. (810) 16
Gadski, R., see Statnick, M.A. (810) 16
Galea, L.A.M., see Kavaliers, M. (810) 41
Gatti, P.J., see Blinder, K.J.L. (810) 251
Geddes, J.W., see Minger, S.L. (810) 181
Gehlert, D.R., see Statnick, M.A. (810) 16
Gibbs, R.B.
Levels of trkA and BDNF mRNA, but not NGF mRNA, fluctuate across the estrous cycle and increase in response to acute hormone replacement [Brain Research 787 (1998) 259–268] (810) 294
Gillis, R.A., see Blinder, K.J.L. (810) 251
Gombos, Z., see Mingo, N.S. (810) 9
Gray, A.L., see Blinder, K.J.L. (810) 251
Groner, Y., see Peled-Kamar, M. (810) 138

Hadam, J., see Najm, I.M. (810) 72
Hinde, J.L., see Milligan, E.D. (810) 48
Hoffman, A.R., see Pham, N.V. (810) 1
Holtz, M.L., see Minger, S.L. (810) 181
Hsiao, S.-H., Mahoney, J.C., West, J.R. and Frye, G.D.
Development of $GABA_A$ receptors on medial septum/diagonal band (MS/DB) neurons after postnatal ethanol exposure (810) 100
Hu, J.-F., see Pham, N.V. (810) 1
Hu, R.Q., Koh, S., Torgerson, T. and Cole, A.J.
Neuronal stress and injury in C57/BL mice after systemic kainic acid administration (810) 229

Isokawa, M.
Modulation of $GABA_A$ receptor-mediated inhibition by postsynaptic calcium in epileptic hippocampal neurons (810) 241

Johnson, D., see Statnick, M.A. (810) 16
Jones, D.L. and Sorkin, L.S.
Systemic gabapentin and *S*(+)-3-isobutyl-γ-aminobutyric acid block secondary hyperalgesia (810) 93

Kalichman, M.W., Dines, K.C., Bobik, M. and Mizisin, A.P.
Nerve conduction velocity, laser Doppler flow, and axonal caliber in galactose and streptozotocin diabetes (810) 130
Karinch, A.M., Schmidt, G.L. and Kauffman Jr., G.L.
Pretreatment with SR48692 has different effects on central neurotensin-induced gastric mucosal defense and inhibition of gastric acid secretion in rats (810) 123
Kauffman Jr., G.L., see Karinch, A.M. (810) 123
Kavaliers, M., Ossenkopp, K.-P., Galea, L.A.M. and Kolb, B.
Sex differences in spatial learning and prefrontal and parietal cortical dendritic morphology in the meadow vole, *Microtus pennsylvanicus* (810) 41
Koh, S., see Hu, R.Q. (810) 229
Kolb, B., see Kavaliers, M. (810) 41
Kozicz, T., Vigh, S. and Arimura, A.
The source of origin of PACAP- and VIP-immunoreactive fibers in the laterodorsal division of the bed nucleus of the stria terminalis in the rat (810) 211
Kream, R.M., see Nikulina, E.M. (810) 200

Lamas, G., see Maisonobe, T. (810) 220
Larsson, A., see Lindblom, J. (810) 161
Lauenstein, J.-M., see Blinder, K.J.L. (810) 251
Li, M., see Mutoh, T. (810) 274
Lindblom, J., Schiöth, H.B., Larsson, A., Wikberg, J.E.S. and Bergström, L.
Autoradiographic discrimination of melanocortin receptors indicates that the MC3 subtype dominates in the medial rat brain (810) 161
Lüders, H.O., see Najm, I.M. (810) 72

Mahoney, J.C., see Hsiao, S.-H. (810) 100
Maier, S.F., see Milligan, E.D. (810) 48
Maisonobe, T., Tankéré, F., Lamas, G., Soudant, J., Claude Willer, P.B.J. and Fournier, E.
Reflexes elicited from cutaneous and mucosal trigeminal afferents in normal human subjects (810) 220

Malmierca, E. and Nuñez, A.
Corticofugal action on somatosensory response properties of rat nucleus gracilis cells (810) 172
Marchand, J.E., see Nikulina, E.M. (810) 200
Margalit, R., see Peled-Kamar, M. (810) 138
Markarian, G., see Najm, I.M. (810) 72
Massari, V.J., see Blinder, K.J.L. (810) 251
Mayne, N.G., see Statnick, M.A. (810) 16
Mazarati, A., see Spigelman, I. (810) 269
Mendonça, A., see Mingo, N.S. (810) 9
Miczek, K.A., see Nikulina, E.M. (810) 200
Mikuni, N., see Najm, I.M. (810) 72
Milligan, E.D., Nguyen, K.T., Deak, T., Hinde, J.L., Fleshner, M., Watkins, L.R. and Maier, S.F.
The long term acute phase-like responses that follow acute stressor exposure are blocked by alpha-melanocyte stimulating hormone (810) 48
Minger, S.L., Geddes, J.W., Holtz, M.L., Craddock, S.D., Whiteheart, S.W., Siman, R.G. and Pettigrew, L.C.
Glutamate receptor antagonists inhibit calpain-mediated cytoskeletal proteolysis in focal cerebral ischemia (810) 181
Mingo, N.S., Cottrell, G.A., Mendonça, A., Gombos, Z., Eubanks, J.H. and Burnham, W.M.I.
Amygdala-kindled and electroconvulsive seizures alter hippocampal expression of the m1 and m3 muscarinic cholinergic receptor genes (810) 9
Mitsuma, T., see Mutoh, T. (810) 274
Mizisin, A.P., see Kalichman, M.W. (810) 130
Molander, C., see Shortland, P. (810) 288
Mück-Šeler, D., Takahashi, S. and Diksic, M.
The effect of MDMA (3,4-methylenedioxymethamphetamine) on the 5-HT synthesis rate in the rat brain: an autoradiographic study (810) 76
Mutoh, T., Li, M., Yamamoto, M., Mitsuma, T. and Sobue, G.
Differential signaling cascade of MAP kinase and S6 kinase depends on 3′,5′-monophosphate concentration in Schwann cells: correlation to cellular differentiation and proliferation (810) 274

Najm, I.M., Hadam, J., Ckakraverty, D., Mikuni, N., Penrod, C., Sopa, C., Markarian, G., Lüders, H.O., Babb, T. and Baudry, M.
A short episode of seizure activity protects from status epilepticus-induced neuronal damage in rat brain (810) 72
Newsome, J.T., see Blinder, K.J.L. (810) 251
Nguyen, K.T., see Milligan, E.D. (810) 48
Nguyen, M.T., see Pham, N.V. (810) 1
Nikulina, E.M., Marchand, J.E., Kream, R.M. and Miczek, K.A.
Behavioral sensitization to cocaine after a brief social stress is accompanied by changes in Fos expression in the murine brainstem (810) 200
Nuñez, A., see Malmierca, E. (810) 172

Obenaus, A., see Spigelman, I. (810) 269
Opacka-Juffry, J., Wilson, A.W. and Blunt, S.B.
Effects of pergolide treatment on in vivo hydroxyl free radical formation during infusion of 6-hydroxydopamine in rat striatum (810) 27
Ossenkopp, K.-P., see Kavaliers, M. (810) 41

Panickar, K.S., see Shi, J. (810) 87
Peled-Kamar, M., Degani, H., Bendel, P., Margalit, R. and Groner, Y.
Altered brain glucose metabolism in transgenic-PFKL mice with elevated L-phosphofructokinase: in vivo NMR studies (810) 138
Penrod, C., see Najm, I.M. (810) 72
Pereira, E.F.R., see Alkondon, M. (810) 257
Pettigrew, L.C., see Minger, S.L. (810) 181
Pham, N.V., Nguyen, M.T., Hu, J.-F., Vu, T.H. and Hoffman, A.R.
Dissociation of *IGF2* and *H19* imprinting in human brain (810) 1
Piggins, H.D., see Cagampang, F.R.A. (810) 279
Pires, R.S., Ferro, E.S. and Britto, L.R.G.
Expression of the AMPA-type glutamate receptor subunits in the chick optic tectum changes biphasically after retinal deafferentation (810) 283

Rabbani, O., see Shi, J. (810) 87
Rebec, G.V., see White, I.M. (810) 146

Schiöth, H.B., see Lindblom, J. (810) 161
Schmidt, G.L., see Karinch, A.M. (810) 123
Schober, D.A., see Statnick, M.A. (810) 16
Sedik, C., see Sheldon, R.A. (810) 114
Sheldon, R.A., Sedik, C. and Ferriero, D.M.
Strain-related brain injury in neonatal mice subjected to hypoxia–ischemia (810) 114
Shi, J., Panickar, K.S., Yang, S.-H., Rabbani, O., Day, A.L. and Simpkins, J.W.
Estrogen attenuates over-expression of β-amyloid precursor protein messager RNA in an animal model of focal ischemia (810) 87
Shortland, P. and Molander, C.
The time-course of Aβ-evoked *c-fos* expression in neurons of the dorsal horn and gracile nucleus after peripheral nerve injury (810) 288
Siman, R.G., see Minger, S.L. (810) 181
Simpkins, J.W., see Shi, J. (810) 87
Smith, S.M., see Cagampang, F.R.A. (810) 279
Sobue, G., see Mutoh, T. (810) 274
Sopa, C., see Najm, I.M. (810) 72
Sorkin, L.S., see Jones, D.L. (810) 93
Soudant, J., see Maisonobe, T. (810) 220
Spigelman, I., Obenaus, A., Mazarati, A. and Wasterlain, C.G.
Intravenously administered cell-permeant calcium buffer decreases evoked synaptic potentials in rat dentate gyrus in vivo (810) 269
Statnick, M.A., Schober, D.A., Gackenheimer, S., Johnson, D., Beavers, L., Mayne, N.G., Burnett, J.P., Gadski, R. and Gehlert, D.R.
Characterization of the neuropeptide Y5 receptor in the human hypothalamus: a lack of correlation between Y5 mRNA levels and binding sites (810) 16

Takahashi, S., see Mück-Šeler, D. (810) 76
Tankéré, F., see Maisonobe, T. (810) 220
Torgerson, T., see Hu, R.Q. (810) 229
Turchin, P.I., see Dougherty, K.D. (810) 59

Vigh, S., see Kozicz, T. (810) 211
Vu, T.H., see Pham, N.V. (810) 1

Walsh, T.J., see Dougherty, K.D. (810) 59
Wasterlain, C.G., see Spigelman, I. (810) 269
Watkins, L.R., see Milligan, E.D. (810) 48
West, J.R., see Hsiao, S.-H. (810) 100
White, I.M., Doubles, L. and Rebec, G.V.
Cocaine-induced activation of striatal neurons during focused stereotypy in rats (810) 146
Whiteheart, S.W., see Minger, S.L. (810) 181
Wikberg, J.E.S., see Lindblom, J. (810) 161
Wilson, A.W., see Opacka-Juffry, J. (810) 27

Yamamoto, M., see Mutoh, T. (810) 274
Yang, S.-H., see Shi, J. (810) 87